






1			2		3		4		5		6		7		8		
			THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JESS—LINK PRODUCTS CO.,LTD.(JPC)	CUSTOMER DRAWING DRWC—011877	REV.	ECN NO.	DESCRIPTION			MDF'D	APP'D	DATE					
					01		INITIAL DESIGN			Veera	Venson	08/08/2024					
					02												
					03												

THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JESS-LINK PRODUCTS CO.,LTD.(JPC)

CUSTOMER DRAWING
DRWC-011877



- NOTE:
- 1.MATERIAL:
HOUSING:LCP BLACK
- 2.FINISH:
TERMINAL:
CONTACT AREA: SELECTIVE GOLD PLATING THICKNESS. MIN
SOLDERING AREA: GOLD FLASH PATING THICKNESS
UNDER PLATING:NICKEL PLATING 50u" THICKNESS. MIN OVERALL
PEG:MATTE TIN PLATING 100u" THICKNESS. MIN OVERALL
- 3.MARKED ▼ DIMENSIONS NEED BE MEASURED IN CPK
4. PART NUMBER MATRIX:

P/N: P 7 5 0 0 6 7 3 X X 3 - 0

M.2 RECEPTACLE CONNECTOR


POS
067: 67PIN

3: 3.0H SMT TYPE RECEPTACLE

PACKAGE
3 : TAPE & REEL PACKING


KEY TYPE
0: KEY A 3H
1: KEY B 3H
2: KEY E 3H
3: KEY M 3H

CONTACT PLATING
5: CONTACT AREA:GOLD PLATING THICKNESS 15u"MIN
6: CONTACT AREA:GOLD PLATING THICKNESS 30u"MIN




RoHS COMPLIANT	HALOGEN FREE	Unit: mm (inch)		PROJECTION 		JPC connectivity			
		GENERAL TOLERANCES: (UNLESS SPECIFIED) 0 ± ±1 (0.039) 0.0 ± ±1.5 (0.02) 0.00 ± ±1.3 (0.012) 0.000 ± ±1.5 (0.006) 0" ± ± 2" 0.0" ± ± 1"		D.R. 08/08/2024 Veera		TITLE M.2 CONNECTOR KEY*3.0H		PD./FILE NO. XXXXXXXXXX	
				CH.K 08/08/2024 Brady				X-XXXX	
		APV.D 08/08/2024 Venson		SCALE 1:1	SIZE A4	PART NO. P75000673XX3-0	REV. 01	SHEET 1 OF 5	

1			2		3		4		5		6		7		8				
			THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JESS-LINK PRODUCTS CO.,LTD.(JPC)					CUSTOMER DRAWING DRWC-011877					REV.	ECN NO.	DESCRIPTION		MDF'D	APP'D	DATE
													01		INITIAL DESIGN		Veera	Venson	08/08/2024
													02						
													03						




RoHS COMPLIANT	HALOGEN FREE	Unit: mm(inch)	PROJECTION 	JPC connectivity			
		GENERAL TOLERANCES: (UNLESS SPECIFIED)	D.R. 08/08/2024 Veera	TITLE M.2 CONNECTOR KEY*3.0H		PD./FILE NO. XXXXXXXXXX	
		0.0 ±1.1 (0.039)	CH.K 08/08/2024 Brady			X-XXXX	
		0.0 ±1.5 (0.02)	APV.D 08/08/2024 Venson	SCALE 1:1	SIZE A4	PART NO. P75000673XX3-0	REV. 01
		0.00 ±1.3 (0.012)					SHEET 2 OF 5
		0.000 ±1.15 (0.006)					
		0' ±2"					
		0.0" ±1"					


1			2		3		4		5		6		7		8				
			THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JESS-LINK PRODUCTS CO.,LTD.(JPC)					CUSTOMER DRAWING DRWC-011877					REV.	ECN NO.	DESCRIPTION		MDF'D	APP'D	DATE
													01		INITIAL DESIGN		Veera	Venson	08/08/2024
													02						
													03						




KEY A 3H



KEY B 3H



KEY E 3H






KEY M 3H

RoHS COMPLIANT	HALOGEN FREE	Unit: mm(inch)	PROJECTION 	JPC connectivity			
		GENERAL TOLERANCES: (UNLESS SPECIFIED) 0.0 =±1 (0.039) 0.0 =±.5 (0.02) 0.00 =±.3 (0.012) 0.000=±.15(0.006) 0° =± 2° 0.0° =± 1°	D.R. 08/08/2024 Veera	TITLE M.2 CONNECTOR KEY*3.0H		PD./FILE NO. XXXXXXXXXX	
			CH.K 08/08/2024 Brady			X-XXXX	
			APV.D 08/08/2024 Venson	SCALE 1:1	SIZE A4	PART NO. P75000673XX3-0	REV. 01

1			2		3		4		5		6		7		8		
			THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HERewith IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JESS-LINK PRODUCTS CO.,LTD.(JPC)	CUSTOMER DRAWING DRWC-011877	REV.	ECN NO.	DESCRIPTION					MDF'D	APP'D	DATE			
					01		INITIAL DESIGN					Veera	Venson	08/08/2024			
					02												
					03												

THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JESS-LINK PRODUCTS CO.,LTD.(JPC)

CUSTOMER DRAWING
DRWC-011877






KEY M	14	2	14	1.5	6.125
KEY E	10.5	5.5	10.5	5	2.625
KEY B	13.5	2.5	13.5	2	5.625
KEY A	14.5	1.5	14.5	1	6.625
KEY ID	E	D	C	B	A

RoHS COMPLIANT	HALOGEN FREE	Unit: mm(Inch)	PROJECTION 	JPC connectivity			
		GENERAL TOLERANCES: (UNLESS SPECIFIED) 0. =±1 (0.039) 0.0 =±1.5 (0.02) 0.00 =±3 (0.012) 0.000=±15(0.006) 0.0° =± 2° 0.0° =± 1°	D.R. 08/08/2024 Veera	TITLE M.2 CONNECTOR KEY*3.0H		PD./FILE NO. XXXXXXXXXX	
			CH.K 08/08/2024 Brady			X-XXXX	
			APV.D 08/08/2024 Venson	SCALE 1:1	SIZE A4	PART NO. P75000673XX3-0	REV. 01
							SHEET 4 OF 5

1			2		3		4		5		6		7		8		
			THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JESS-LINK PRODUCTS CO.,LTD.(JPC)				CUSTOMER DRAWING DRWC-011877		REV.	ECN NO.	DESCRIPTION			MDF'D	APP'D	DATE	
									01		INITIAL DESIGN			Veera	Venson	08/08/2024	
									02								
									03								

THIS DRAWING AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED USED OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF JESS-LINK PRODUCTS CO.,LTD.(JPC)

CUSTOMER DRAWING
DRWC-011877



NOTES:

- 1.Ensure the carrier tape has 150mm empty, 1200 pieces filled, 300mm empty sections. Extend the cover tape by 300mm and secure with masking tape. Label the reel.
- 2.Stack six labeled reels in a waterproof bag, with labels facing up.
- 3.Place the waterproof bag with four desiccant bags into a carton. Seal the bag and carton. (Total: 7200 pieces)
- 4.Attach the shipping label and mark any partial boxes.
- 5.Carrier tape material: Black PS.
- 6.Test cover tape peel strength:
Angle: 165° -180°
Speed: 300mm/min
Strength: 0.1N-1.3N

RoHS COMPLIANT	HALOGEN FREE	Unit:mm(inch)	PROJECTION	JPC connectivity			
		GENERAL TOLERANCES: (UNLESS SPECIFIED)	D.R. 08/08/2024 Veera	TITLE M.2 CONNECTOR KEY*3.0H		PD./FILE NO. XXXXXXXXXX	
		0 ±1 (0.039) 0.0 ±1.5 (0.02) 0.00 ±1.3 (0.012) 0.000±1.15(0.006) 0° ± 2° 0.0° ±1°	CH.K 08/08/2024 Brady			X-XXXX	
			APV.D 08/08/2024 Venson	SCALE 1:1	SIZE A4	PART NO. P75000673XX3-0	REV. 01 SHEET 5 OF 5